




Yukon Ring & Pinions

Quality Axles & Ring & Pinion Components



Mission Statement

Our mission is to exceed expectations of high quality, competitive pricing, and value for our customers. Yukon Gear and Axle provides the highest quality differential parts available at the best possible prices using the latest manufacturing and metallurgical processes available. We will provide the widest selection of products available.

YUKON GEAR & AXLE





Table of Contents

Chrysler / Jeep

C7.25, C8.0	4
C8.25, C8.75	4-5
C9.25, M20	6
M35	7

Dana Spicer

M20, D25	8
D27, D28	8
D30, M35	9
D36-ICA, D44	10
D44 HD, D44-HD ICA	11
D44-ICA, D50	12
D60, D61	13
D70, D80	14

Ford

F7.5, F8	15
F8.8, F9	16
F9.75, F10.25	18
F10.5	19

General Motors

GM55P, GM55T	20
GM7.2, GM7.5	20-21
GM7.75, GM8.0	21

GM8.2, GMVET	22
D36-ICA, D44-ICA	22
D44-ICA HD, GM8.25 IFS	22-23
GM8.5, GM8.6	24-25
GM12P, GM12T	25-26
GM9.25 IFS, GM9.5	26
GM14T, GM11.5	27
GMH072	27

Import: Toyota

T7.5, T8	28
TV6, TLC	29

Import: Suzuki Samurai

	30
--	----

Imports: ISUZU, MAZDA, NISSAN

	30
--	----

Kit Contents

	31
--	----





Chrysler Differential

Chrysler / 7.25" Differential Chrysler, Dodge, Plymouth



Ring Gear Diameter	7.25"
Ring Gear Bolts	(8) 3/8" x 24 LH
Cover Bolts	9 or 10
Carrier Breaks	2.47/2.76
Yoke/Pinion Spline Count	1.375" / 27

Ring & Pinion Gear Sets

Part #	Ratio
YG C7.25-321	3.21
YG C7.25-355	3.55
YG C7.25-390	3.90
YG C7.25-411	4.10

Overhaul Kits

Part #	Description
YK C7.25	Complete master overhaul bearing & seal kit
BK C7.25	Bearing & seal kit
PK C7.25	Pinion bearing & seal kit
MK C7.25	Minimum kit

Spider Gear Kit

Part #	Description
C7.25-S-25	Standard spider gear kit

Yokes

Part #	Description
YY C3723251	7260 small yoke
YY C4137976	7290 large yoke
YY C3723252	1310 yoke

Chrysler / Jeep 8.0" Differential Chrysler, Dodge, Plymouth

Ring Gear Diameter	8.0"
Ring Gear Bolts	(10) 3/8" x 24 LH
Carrier Breaks	None
Yoke/Pinion Spline Count	1.406" / 26

Ring & Pinion Gear Sets

Part #	Ratio
C8.0-390	3.90
C8.0-411	4.11
C8.0-456	4.56


Overhaul Kits

Part #	Description
YK C8.0IFS	Complete master overhaul bearing & seal kit
BK C8.0IFS	Bearing & seal kit
PK C8.0IFS	Pinion bearing & seal kit
MK C8.0IFS	Minimum kit

Spider Gear Kit

Part #	Description
YPKC8.0-S-29	Standard spider gear kit

Chrysler / Jeep 8.25" & 8.375" Differential Chrysler, Dodge, Plymouth



Ring Gear Diameter	8.25"
Ring Gear Bolts	(10) 3/8" x 24 LH
Cover Bolts	10
Carrier Breaks	2.56 / 2.71 & up
Yoke/Pinion Spline Count	1.626" / 27

Ring & Pinion Gear Sets

Part #	Ratio
YG C8.25-276	2.76
YG C8.25-294	2.94
YG C8.25-308	3.08
YG C8.25-321	3.21
YG C8.25-355	3.55
YG C8.25-373	3.73
YG C8.25-390	3.90
YG C8.25-411	4.11
YG C8.25-456	4.56

Overhaul Kits

Part #	Description
YK C8.25A	('70-'75) LM102910/49
YK C8.25B	('76 & up) LM603012/49
BK C8.25-A	('70-'75) LM102910/49
BK C8.25-B	('76 & up) LM603012/49
PK C8.25-A	('70-'75) LM102910/49
PK C8.25-B	('76 & up) LM603012/49
MK C8.25-A	('70-'75) LM102910/49
MK C8.25-B	('76 & up) LM603012/49

Spider Gear Kit

Part #	Description
YPKC8.25-S-27	('96 & down) 27 spline
YPKC8.25-S-29	('97 & up) 29 spline


Pinion Yokes

Part #	Description
YY C3723251	7260 small
YY C3723252	1310 small
YY C4137976	7290 large

Chrysler Differential



Chrysler / 8.75" Differential Chrysler, Dodge, Plymouth



Ring Gear Diameter	8.75"
Ring Gear Bolts	(12) 3/8" x 24 LH
Cover Bolts	None / Dropout
Carrier Breaks	None
Yoke/Pinion Spline Count	1.375", 1.750", 1.875" / 10 or 29

Ring & Pinion Gear Sets

"741" = 1-3/8" (1.375") shaft, spacer sleeve and preload shims

Part #	Ratio	Description
YG C8.41-355	3.55	741" Housing
YG C8.41-373	3.73	741" Housing

Note: Stamping numbers for 1-3/8" are 2070741, 1820657 and xxxx571

"742" = 1-3/4" (1.750") shaft with preload shims

Part #	Ratio	Description
YG C8.42-355	3.55	742" Housing
YG C8.42-390	3.73	742" Housing
YG C8.42-390	3.91	742" Housing
YG C8.42-411	4.11	742" Housing
YG C8.42-430	4.30	742" Housing
YG C8.42-456	4.56	742" Housing
YG C8.42-486	4.86	742" Housing
YG C8.42-513	5.13	742" Housing
YG C8.42-538	5.38	742" Housing
YG C8.42-557	5.57	742" Housing

Note: Stamping numbers for 1-3/4" are 2070742 and 1634985.

"489" = 1-7/8" (1.875") tapered shaft and crush sleeve

Part #	Ratio	Description
YG C8.89-276	2.76	489" Housing
YG C8.89-323	3.23	489" Housing
YG C8.89-355	3.55	489" Housing
YG C8.89-373	3.73	489" Housing
YG C8.89-390	3.91	489" Housing
YG C8.89-411	4.11	489" Housing
YG C8.89-430	4.30	489" Housing
YG C8.89-456	4.56	489" Housing
YG C8.89-486	4.86	489" Housing
YG C8.89-513	5.13	489" Housing
YG C8.89-538	5.38	489" Housing

Note: Stamping numbers for 1-7/8" are 2881489 and 2881488.

Overhaul Kits

Part #	Description
YK C8.75-A	"741" case w/ LM102912/49
YK C8.75-B	"742" case w/ LM102912/49
YK C8.75-C	"489" case w/ LM102912/49
YK C8.75-D	"741" case w/ 25520/90
YK C8.75-E	"742" case w/ 25520/90
YK C8.75-F	"489" case w/ 25520/90
BK C8.75-A	"741" case w/ LM102912/49
BK C8.75-B	"742" case w/ LM102912/49
BK C8.75-C	"489" case w/ LM102912/49
BK C8.75-D	"741" case w/ 25520/90
BK C8.75-E	"742" case w/ 25520/90
BK C8.75-F	"489" case w/ 25520/90

Chrysler / 8.75" Differential Chrysler, Dodge, Plymouth (cont.)


Part #	Description
PK C8.75-A	"741" case w/ LM102912/49
PK C8.75-B	"742" case w/ LM102912/49
PK C8.75-C	"489" case w/ LM102912/49
PK C8.75-D	"741" case w/ 25520/90
PK C8.75-E	"742" case w/ 25520/90
PK C8.75-F	"489" case w/ 25520/90
MK C8.75-41	"741" case w/ 25520/90
MK C8.75-42	"742" case w/ 25520/90
MK C8.75-89	"489" case w/ 25520/90

Spider Gear Kit

Part #	Description
YPK8.75-S-30	Standard spider gear kit

Yokes


Part #	Description
YY C4529480	7260 small, coarse, 10 spline
YY C4529481	7260 small, fine, 29 spline
YY C4529482	7290 large, coarse, 10 spline
YY C4529483	7290 large, fine, 29 spline
YY C8.75-7290-A	7290 large, coarse, 1350 w/ adapter U-joint for 7290,10 spline
YY C8.75-7290-B	7290 large, billet steel, coarse 10 spline
YY C8.75-7290-Z	7290 large aluminum billet yoke, 10 spline, coarse
YY C8.75-1350-F	1350 extra HD, fine, 29 spline, forged
YY C8.75-1350-C	1350 extra HD, coarse, 10 spline, cast
YY C875651	10 spline female coupler, coarse





Chrysler Differential

Chrysler 9.25" Differential Chrysler, Dodge, Plymouth



Ring Gear Diameter	9.25"
Ring Gear Bolts	(12) 7/16" x 18 LH
Cover Bolts	12
Carrier Breaks	None
Yoke/Pinion Spline Count	1.875" / 29

Ring & Pinion Gear Sets

Part #	Ratio
YG C9.25-276	2.76
YG C9.25-321	3.21
YG C9.25-355	3.55
YG C9.25-390	3.90
YG C9.25-411	4.10
YG C9.25-456	4.56
YG C9.25-488	4.88

Overhaul Kits

Part #	Description
YK C9.25	Complete master overhaul bearing & seal kit
BK C9.25	Bearing & seal kit
PK C9.25	Pinion bearing & seal kit
MK C9.25	Minimum kit

Spider Gear Kit

Part #	Description
YPKC9.25-S-31	Standard spider gear kit, 31 spline

Yokes

Part #	Description
YY C52105064	Round pinion yoke flange
YY C3432485	7260 small
YY C3432487	7290 large

Jeep / AMC Model 20 Differential Chrysler, Dodge, Plymouth



Ring Gear Diameter	8.875"
Ring Gear Bolts	(8) 7/16" x 20 RH
Cover Bolts	12
Carrier Breaks	2.76 / 3.07
Yoke/Pinion Spline Count	1.625" / 28

Ring & Pinion Gear Sets

Part #	Ratio
YG M20-273	2.73
YG M20-308	3.07
YG M20-331	3.31
YG M20-354	3.54
YG M20-373	3.73
YG M20-411	4.10
YG M20-456	4.56
YG M20-488	4.88

Overhaul Kits

Part #	Description
YK M20	Complete master overhaul bearing & seal kit
BK M20	Differential bearing & seal kit
PK M20	Pinion bearing & seal kit
MK M20	Minimum kit

Spider Gear Kit


Part #	Description
YPKM20-S-29	Standard spider gear kit
YPKM20-T/L-29	Trac-Lok spider gear set (clutches not included)

Yokes

Part #	Description
YY M20-1310-28S	1310, strap design
YY M20-1310-28U	1310, U-bolt design
YY M20-1350-28S	1350, strap design

Chrysler Differential

Dana / AMC Model 35 Differential Jeep



Ring Gear Diameter	7.562"
Ring Gear Bolts	(8) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	3.31 / 3.55
Yoke/Pinion Spline Count	1.375" / 26

Ring & Pinion Gear Sets

Part #	Ratio
YG M35-308	3.08
YG M35-355	3.55
YG M35-373	3.73
YG M35-411	4.11
YG M35-456	4.56
YG M35-488	4.88

Reverse Rotation

Part #	Ratio
YG M35R-327R	3.27
YG M35R-355R	3.55
YG M35R-373R	3.73
YG M35R-390R	3.92
YG M35R-411R	4.10
YG M35R-456R	4.56
YG M35R-513R	5.13

Dana / AMC Model 35 Differential Jeep (cont.)

Overhaul Kits


Part #	Description
YK M35	Complete master overhaul bearing & seal kit
YK M35-IFS	Complete master & overhaul bearing & seal kit (Ranger & Explorer w/ Independent Front Suspension)
BK M35	Bearing & seal kit
BK M35-IFS	Bearing & seal kit (Ranger & Explorer w/ Independent Front Suspension)
PK M35	Pinion bearing & seal kit
PK M35-IFS	Pinion bearing & seal kit (Ranger & Explorer w/ Independent Front Suspension)
MK M35	Minimum kit
MK M35-IFS	Minimum kit (Ranger & Explorer w/ Independent Front Suspension)





Dana Differential

Dana / AMC Model 20 Differential Jeep



Ring Gear Diameter	8.875"
Ring Gear Bolts	(8) 7/16" x 20 RH
Cover Bolts	12
Carrier Breaks	2.76 / 3.07
Yoke/Pinion Spline Count	1.625" / 28

Ring & Pinion Gear Sets

Part #	Ratio
YG M20-273	2.73
YG M20-308	3.07
YG M20-331	3.31
YG M20-354	3.54
YG M20-373	3.73
YG M20-411	4.11
YG M20-456	4.56
YG M20-488	4.88

Overhaul Kits

Part #	Description
YK M20	Complete master overhaul bearing & seal kit
BK M20	Bearing & seal kit
PK M20	Pinion bearing & seal kit
MK M20	Minimum kit

Spider Gear Kit

Part #	Description
YPKM20-S-29	Standard spider gear kit
YPKM20-T/L-29	Trac-Lok spider gear set (clutches not included)

Yokes

Part #	Description
YY M20-1310-28S	1310, strap design
YY M20-1310-28U	1310, U-bolt design
YY M20-1350-28S	1350, strap design

Dana Spicer D27 Differential Jeep

Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	3.73 / 3.92

Ring & Pinion Gear Sets

Part #	Ratio
YG D27-354	3.54
YG D27-273	3.23
YG D27-411	4.11
YG D27-427	4.27
YG D27-456	4.56
YG D27-488	4.88
YG D27-528	5.28

Dana Spicer D27 Differential Jeep (cont.)


Overhaul Kits

Part #	Description
YK D27	Complete master overhaul bearing & seal kit
BK D27	Bearing & seal kit
PK D27	Pinion bearing & seal kit
MK D27	Minimum kit

Spider Gear Kit

Part #	Description
YPKD27-S-10	Standard spider gear kit

Dana Spicer D28 Differential Ford Ranger IFS



Ring Gear Diameter	6.625"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	12
Carrier Breaks	3.45 / 3.73
Yoke/Pinion Spline Count	1.313" / 23

Ring & Pinion Gear Sets

Part #	Ratio
YG D28-373	3.73
YG D28-411	4.10
YG D28-456	4.56
YG D28-513	5.13

Overhaul Kits


Part #	Description
YK D28	Complete master overhaul bearing & seal kit
BK D28	Bearing & seal kit
PK D28	Pinion bearing seal kit
MK D28	Minimum kit



Dana Differential



Dana Spicer D30 Differential Jeep, Bronco, Scout



Ring Gear Diameter	7.20"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	3.54 / 3.73
Yoke/Pinion Spline Count	1.375" / 26

Ring & Pinion Gear Sets

D30 Standard Rotation (original design)

Part #	Ratio
YG D30-354	3.54
YG D30-373	3.73
YG D30-411	4.10
YG D30-427	4.27
YG D30-456	4.56
YG D30-488	4.88
YG D30-538	5.38

Note: For use in Jeep CJ, '66-'70 Bronco & '67-'74 Scout.

D30CS Standard Rotation for front w/ crush sleeve

Part #	Ratio
YG D30CS-355CS	3.55
YG D30CS-373CS	3.73

Note: For use in Jeep Grand Cherokee.

D30S Standard Rotation w/ short pinion

Part #	Ratio
YG D30S-355TJ	3.55
YG D30S-373TJ	3.73
YG D30S-411TJ	4.10
YG D30S-456TJ	4.56YG
D30S-488TJ	4.88

Note: For use in Jeep TJ and '99 & up Grand Cherokee.

D30R Reverse Rotation

Part #	Ratio
YG D30R-308R	3.07
YG D30R-354R	3.54
YG D30R-373R	3.73
YG D30R-411R	4.10
YG D30R-456R	4.56
YG D30R-488R	4.88

Note: For use in '87-'95 Jeep YJ.


Overhaul Kits

Part #	Description
YK D30-CS	'94-'96 Grand Cherokee w/ c-sleeve
YK D30-F	'72-'94, front, w/o c-sleeve, standard rotation
YK D30-R	Rear
YK D30-TJ	'96 & up, short in TJ, w/ c-sleeve, standard rotation
BK D30-CS	'94-'96 Grand Cherokee w/ c-sleeve
BK D30-F	'72-'94, front, w/o c-sleeve, standard rotation
BK D30-R	Rear
BK D30-TJ	'96 & up, short in TJ, w/ c-sleeve

Dana Spicer D30 Differential Jeep, Bronco, Scout (cont.)

PK D30-CS	w/o c-sleeve
PK D30-F	'72-'94, front, w/o c-sleeve, standard rotation
PK D30-R	Rear
PK D30-TJ	'96 & up, short in TJ, w/ c-sleeve
MK D30-CS	'94-'96 Grand Cherokee w/o c-sleeve
MK D30-F	'72-'94, front, w/o c-sleeve, standard rotation
MK D30-R	Rear
MK D30-TJ	'96 & up, short in TJ, w/ c-sleeve

Dana / AMC Model 35 Differential Jeep



Ring Gear Diameter	7.562"
Ring Gear Bolts	(8) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	3.31 / 3.55
Yoke/Pinion Spline Count	1.375" / 26

Ring & Pinion Gear Sets

Standard Rotation

Part #	Ratio
YG M35-308	3.08
YG M35-355	3.55
YG M35-373	3.73
YG M35-411	4.11
YG M35-456	4.56
YG M35-488	4.88

Reverse Rotation

Part #	Ratio
YG M35R-327R	3.27
YG M35R-355R	3.55
YG M35R-373R	3.73
YG M35R-411R	4.10
YG M35R-456R	4.56
YG M35R-513R	5.13
YG M35R-390R	3.92

Overhaul Kits

Part #	Description
YK M35	Complete master overhaul bearing & seal kit
YK M35-IFS	Complete master overhaul bearing & seal kit (Ranger & Explorer w/ IFS)
BK M35	Bearing & seal kit
BK M35-IFS	Bearing & seal kit (Ranger & Explorer w/ IFS)
PK M35	Pinion bearing & seal kit
PK M35-IFS	Pinion bearing & seal kit (Ranger & Explorer w/ IFS)
MK M35	Minimum kit
MK M35-IFS	Minimum kit (Ranger & Explorer w/ IFS)



Dana Differential

Dana Spicer D36-ICA Differential Corvette ICA / IRS

Ring Gear Diameter	7.20"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	2.73 / 3.07
Yoke/Pinion Spline Count	1.375" / 26


Ring & Pinion Gear Sets

Part #	Ratio
YG D36-259	2.59
YG D36-273	2.73
YG D36-308	3.07
YG D36-354	3.54
YG D36-354T	3.54
YG D36-373	3.73
YG D36-373T	3.73

Overhaul Kits

Part #	Description
YK D36-VET	Complete master overhaul bearing & seal kit
BK D36-VET	Bearing & seal kit
PK D36-VET	Pinion bearing & seal kit
MK D36-VET	Minimum kit

Dana Spicer D44 Differential GM, Ford, International



Ring Gear Diameter	8.5
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	3.73 / 3.92
Yoke/Pinion Spline Count	1.375" / 26

Ring & Pinion Gear Sets

Standard Rotation

Part #	Ratio
YG D44-308	3.07
YG D44-331	3.31
YG D44-354	3.54
YG D44-373	3.73
YG D44-392	3.92
YG D44-411	4.09
YG D44-411T	4.09 Thick, fits 3-series case
YG D44-427	4.27
YG D44-430T	4.30 Thick, fits 3-series case
YG D44-456	4.56
YG D44-456T	4.56 Thick, fits 3-series case
YG D44-488	4.88
YG D44-488T	4.88 Thick, fits 3-series case
YG D44-488T-RUB	4.88
YG D44-513	5.13
YG D44-538	5.38
YG D44-589	5.89

Dana Spicer D44 Differential GM, Ford, International (cont.)

Reverse Rotation

Part #	Ratio
YG D44R-354R	3.54
YG D44R-373R	3.73
YG D44R-411R	4.09
YG D44R-456R	4.56
YG D44R-488R	4.88
YG D44R-513R	5.13
YG D44R-538R	5.38

Overhaul Kits

Part #	Description
YK D44	30 spline, straight axle
YK D44-19	19 spline
YK D44-DIS	Dodge w/ disconnect front or Isuzu Rodeo rear
YK D44HD	See separate page for D44HD
YK D44HD-VET	See separate page for D44HD
YK D44-IFS-E	'92 & down w/ all seals & stub axle bearings IFS
YK D44-IFS-L	'92 & up, IFS
YK D44-JAG	Jaguar (25577 carrier bearings) w/o side seals
YK D44-REV	Reverse straight axle, not IFS, includes side seals
YK D44-VET	'80-'83 Vette, includes side bearings & seals
BK D44	30 spline, straight axle
BK D44-19	19 spline
BK D44-DIS	Dodge w/ disconnect front or Isuzu Rodeo rear
BK D44HD	See separate page for D44HD
BK D44HD-VET	See separate page for D44HD
BK D44-IFS-E	'92 & down, IFS only, includes side bearing & seals
BK D44-IFS-L	'92 & up, IFS, w/ seals & stub axle bearings
BK D44-JAG	Jaguar (25577 carrier bearings)
BK D44-REV	Reverse straight axle, not IFS, includes side seals
BK D44-VET	'80-'83 Vette
PK D44	30 spline, straight axle
PK D44-19	19 spline
PK D44-DIS	Dodge w/ disconnect front or Isuzu Rodeo rear
PK D44HD	See separate page for D44HD
PK D44HD-VET	See separate page for D44HD
PK D44-IFS-E	'92 & down, IFS
PK D44-IFS-L	'92 & up, IFS
PK D44-JAG	Jaguar
PK D44-REV	Reverse straight axle, not IFS
PK D44-VET	'80-'83 Vette, ICA
MK D44	30 & 19 spline, straight axle
MK D44-19	19 spline
MK D44-DIS	Dodge w/ disconnect front or, Isuzu Rodeo rear
MK D44HD	See separate page for D44HD
MK D44HD-VET	See separate page for D44HD
MK D44-IFS-E	'92 & down w/ all seals & stub axle bearings IFS
MK D44-IFS-L	'92 & up, IFS, w/o side seals
MK D44-JAG	Jaguar



Dana Differential

Dana Spicer D44 Differential GM, Ford, International (cont.)

Part #	Description
MK D44-REV	Reverse straight axle, not IFS, includes side seals
MK D44-VET	'80-'83 Vette, ICA


Spider Gear Kit

Part #	Description
YPKD44-P/L-19	Powr-Lok spider gear set, 19 spline, includes clutches
YPKD44-P/L-30	Powr-Lok, spider gear set, 30 spline, includes clutches
YPKD44-S-30	Standard open spider gear set, 30 spline
YPKD44-T/L-30	Trac-Lok spider gear set, 30 spline, includes clutches

Yokes

Part #	Description
YY D44-1310-10U	1310, coarse, U-bolt design
YY D44-1310-26S	1310, strap design
YY D44-1310-26U	1310, fine, U-bolt design
YY D44-1330-26U	1330, U-bolt design
YY D44-1350-26S	1350, strap design

Dana Spicer D44 Heavy Duty (HD) Differential Viper, Corvette, Jeep Grand Cherokee



Ring Gear Diameter	8.5"
Ring Gear Bolts	10
Cover Bolts	10
Carrier Breaks	None
Yoke/Pinion Spline Count	1.625" / 29

Ring & Pinion Gear Sets

Part #	Ratio
YG D44HD-354	3.54
YG D44HD-373	3.73
YG D44HD-390	3.91
YG D44HD-411	4.10
YG D44HD-456	4.56

Overhaul Kits

Part #	Description
YK D44HD	Grand Cherokee w/ aluminum housing
YK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
BK D44HD	Grand Cherokee w/ aluminum housing
BK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
PK D44HD	Pinion bearing & seal kit
PK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
MK D44HD	Grand Cherokee w/ aluminum housing
MK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals

Yokes

Part #	Description
YY D60-1310-29S	1310, strap design

Dana Spicer D44 Heavy Duty (HD) Differential Viper, Corvette, Jeep Grand Cherokee (cont.)

YY D60-1310-29U	1310, U-bolt design
YY D60-1330-29S	1330, 1-1/16", strap
YY D60-1350-29U	1350, 1-3/16", U-bolt design
YY D60-1350-B	1350 Billet Yoke, U-bolt design
YY D60-1350-F	1350, forged, stronger than billet, U-bolt design
YY D60-1410-29S	1410, uses straps, not U-bolts
YY D60-1410-29U	1410, uses U-bolts, not straps
YY D60-7290-29	Dodge, 7290 large, fine, strap design
YY D60-RND-29R	Round, companion flange

GM D44-ICA Differential Corvette

Ring Gear Diameter	8.5"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	3.73 / 3.92
Yoke/Pinion Spline Count	1.375" / 26

Ring & Pinion Gear Sets

Part #	Ratio
YG D44-308	3.07
YG D44-331	3.31
YG D44-354	3.54
YG D44-373	3.73
YG D44-392	3.92
YG D44-411	4.09
YG D44-411T	4.09 Thick, fits 3.73 carrier
YG D44-427	4.27
YG D44-430T	4.30 Thick, fits 3.73 carrier
YG D44-456	4.55
YG D44-456T	4.56 Thick, fits 3.73 carrier
YG D44-488	4.89
YG D44-488T	4.89 Thick, fits 3.73 carrier
YG D44-513	5.13
YG D44-538	5.38
YG D44-589	5.89
YG D44HD-354	Refer to Dana Spicer 44-ICA HD section
YG D44HD-373	Refer to Dana Spicer 44-ICA HD section
YG D44HD-390	Refer to Dana Spicer 44-ICA HD section
YG D44HD-411	Refer to Dana Spicer 44-ICA HD section
YG D44HD-456	Refer to Dana Spicer 44-ICA HD section

Overhaul Kits

Part #	Description
YK D44-ICA	Complete master overhaul bearing & seal kit
BK D44-ICA	Bearing & seal kit
PK D44-ICA	Pinion bearing & seal kit
MK D44-ICA	Minimum kit

Spider Gear Kit

Part #	Description
YPK D44-T/L-30	Trac-Lok spider gear set, includes clutches

Yokes

Part #	Description
YY D44-1310-10U	1310, coarse, U-bolt design
YY D44-1310-26S	1310, strap design
YY D44-1310-26U	1310, fine, U-bolt design
YY D44-1330-26U	1330, U-bolt design
YY D44-1350-26S	1350, strap design



Dana Differential

GM D44-ICA HD Differential Dodge, Viper, Corvette, Jeep Grand Cherokee

Ring Gear Diameter	8.5"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	None
Yoke/Pinion Spline Count	1.625" / 29

Ring & Pinion Gear Sets

Part #	Ratio
D44HD-354	3.54
D44HD-373	3.73
D44HD-390	3.91
D44HD-411	4.10
D44HD-456	4.56

Overhaul Kits

Part #	Description
YK D44HD	Grand Cherokee w/ aluminum housing
YK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
BK D44HD	Grand Cherokee w/ aluminum housing
BK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
PK D44HD	Pinion bearing seal kit
PK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
MK D44HD	Grand Cherokee w/ aluminum housing
MK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals

Yokes

Part #	Description
YY D60-1310-29S	1310, strap design
YY D60-1310-29U	1310, U-bolt design
YY D60-1330-29S	1330, 1-1/16", strap
YY D60-1350-29U	1350, 1-3/16", U-bolt design
YY D60-1350-B	1350 Billet Yoke, 29 spline, U-bolt design
YY D60-1350-F	1350, forged, stronger than billet, U-bolt design
YY D60-1410-29S	1410, uses straps, not U-bolts
YY D60-1410-29U	1410, uses U-bolts, not straps
YY D60-7290-29	Dodge, 7290 large, fine, strap design
YY D60-RND-29R	Round, companion flange side bearings & seals

Dana Spicer D50 Differential Ford

Ring Gear Diameter	9"
Ring Gear Bolts	(10) 7/16" x 20 RH
Cover Bolts	10
Carrier Breaks	None
Yoke/Pinion Spline Count	1.375" / 26

Ring & Pinion Gear Sets

Part #	Ratio
D50R-354R	3.54
D50R-373R	3.73
D50R-411R	4.10
D50R-430R	4.30
D50R-456R	4.56

Dana Spicer D50 Differential Ford (cont.)

D50R-488R	4.88
D50R-538R	5.38


Overhaul Kits

Part #	Description
YK D50	Complete master overhaul bearing kit, includes side bearing and seals
BK D50	Bearing & seal kit, includes side bearing & seals
PK D50	Pinion bearing & seal kit
MK D50	Minimum kit

Yokes

Part #	Description
YY D44-1310-10U	1310, coarse, U-bolt design
YY D44-1310-26S	1310, strap design
YY D44-1310-26U	1310, fine, U-bolt design
YY D44-1330-26U	1330, U-bolt design
YY D44-1350-26S	1350, strap design

Dana Spicer D60 Differential General Motors, Ford, International, Jeep



Ring Gear Diameter	9.750"
Ring Gear Bolts	(12) " x 18 RH
Cover Bolts	(10) 3/8" w/ 9/16" head
Carrier Breaks	4.10 / 4.56
Yoke/Pinion Spline Count	1.625" / 29

Ring & Pinion Gear Sets

Standard Rotation	
Part #	Ratio
YG D60-354	3.54
YG D60V-355	3.55 extra quiet for vans
YG D60-373	3.73
YG D60V-409	4.09 extra quiet for vans
YG D60-411	4.10
YG D60-430	4.30 fits 4.10 & down case
YG D60-456	4.46
YG D60-488	4.88
YG D60-513	5.13
YG D60-538	5.38
YG D60-586	5.86
YG D60-617	6.17
YG D60-717	7.17

Reverse Rotation

Part #	Ratio
YG D60R-354R	3.54
YG D60R-373R	3.73
YG D60R-411R	4.10
YG D60R-430R-T	4.30 Thick, fits 4.10 carrier
YG D60R-456R-T	4.56 Thick, fits 4.10 carrier
YG D60R-488R	4.88
YG D60R-488R-T	4.88 Thick, fits 4.10 carrier

Dana Differential



Dana Spicer D60 Differential General Motors, Ford, International, Jeep

YG D60R-513R-T	5.13 Thick, fits 4.10 carrier
YG D60R-538R	5.38
YG D60R-538R-T	5.38 Thick, fits 4.10 carrier
YG D60R-538R-35	5.38 extra HD, 35 spline pinion, fits 4.10 carrier

Overhaul Kits

Part #	Description
YK D60	Complete master overhaul bearing & seals kit
BK D60	Bearing & seal kit
PK D60	Pinion bearing seal kit
MK D60	Minimum kit


Spider Gear Kit

Part #	Description
YPKD60-P/L-30	Powr-Lok, 30 spline, w/ clutches
YPKD60-P/L-35	Powr-Lok, 35 spline, w/ clutches
YPKD60-S-30	30 spline, standard for open carrier
YPKD60-S-32	32 spline, standard for open carrier
YPKD60-S-35	35 spline, standard for open carrier
YPKD60-T/L-30	30 spline, Trac-Lok, includes clutches
YPKD60-T/L-32	32 spline, Trac-Lok, includes clutches
YPKD60-T/L-35	35 spline, Trac-Lok, SF & FF, includes clutches
YPKD70-P/L-32	32 spline, Powr-Lok, includes clutches, FF only

Yokes

Part #	Description
YY D60-1310-29S	1310, strap design
YY D60-1310-29U	1310, U-bolt design
YY D60-1330-29S	1330, 1-1/16", strap
YY D60-1350-29U	1350, 1-3/16", U-bolt design
YY D60-1350-B	1350 Billet Yoke, U-bolt design
YY D60-1350-F	1350, forged, stronger than billet, U-bolt design
YY D60-1410-29S	1410, uses straps, not U-bolts
YY D60-1410-29U	1410, uses U-bolts, not straps
YY D60-7290-29	Dodge, 7290 large, fine, strap design
YY D60-RND-29R	Round, companion flange

Dana Spicer D61 Differential Dodge, Ford



Ring Gear Diameter	9.750"
Ring Gear Bolts	(12) 1/2" x 18 RH
Cover Bolts	(10)
Carrier Breaks	3.31 / 3.54
Yoke/Pinion Spline Count	1.625" / 29

Ring & Pinion Gear Sets

Part #	Ratio
YG D61-354	3.54
YG D61-411	4.11

Overhaul Kits

Part #	Description
YK D60	Complete master overhaul bearing & seal kit
BK D60	Bearing & seal kit
PK D60	Pinion bearing seal kit
MK D60	Minimum kit

Spider Gear Kit

Part #	Description
YPKD60-P/L-30	Powr-Lok, 30 spline, w/ clutches
YPKD70-P/L-32	32 spline, Powr-Lok, includes clutches, FF only
YPKD60-P/L-35	Powr-Lok, 35 spline, w/ clutches
YPKD60-S-30	30 spline, standard for open carrier
YPKD60-S-32	32 spline, standard for open carrier
YPKD60-S-35	35 spline, standard for open carrier
YPKD60-T/L-30	30 spline, Trac-Lok, includes clutches
YPKD60-T/L-32	32 spline, Trac-Lok, includes clutches
YPKD60-T/L-35	35 spline, Trac-Lok, SF & FF, includes clutches


Yokes

Part #	Description
YY D60-1310-29S	1310, strap design
YY D60-1310-29U	1310, U-bolt design
YY D60-1330-29S	1330, 1-1/16", strap
YY D60-1350-29U	1350, 1-3/16", U-bolt design
YY D60-1350-B	1350 Billet Yoke, U-bolt design
YY D60-1350-F	1350, forged, stronger than billet, U-bolt design
YY D60-1410-29S	1410, uses straps, not U-bolts
YY D60-1410-29U	1410, uses U-bolts, not straps
YY D60-7290-29	Dodge, 7290 large, fine, strap design
YY D60-RND-29R	Round, companion flange



Dana Differential

Dana Spicer D70 Differential Dodge, General Motors, Ford



Ring Gear Diameter	10.250"
Ring Gear Bolts	(12) 1/2" x 18 RH
Cover Bolts	12
Carrier Breaks	4.10 / 4.56
Yoke/Pinion Spline Count	1.750" / 29

Ring & Pinion Gear Sets

Part #	Ratio
YG D70-354	3.54
YG D70-373	3.73
YG D70-411	4.10
YG D70-456	4.56
YG D70-456T	4.56 Thick, fits 4.10 carrier
YG D70-488	4.88
YG D70-513	5.13
YG D70-586	5.86
YG D70-617	6.17
YG D70-717	7.17

Overhaul Kits

Part #	Description
YK D70	Complete master overhaul bearing & seal kit w/ HMS
YK D70-HD	Complete master overhaul bearing & seal kit w/ HD 4.125" carrier bearings
YK D70-U	Complete master overhaul bearing & seal kit w/ under size rear pinion bearings
BK D70	Bearing & seal kit
BK D70-HD	Bearing & seal kit w/ HD 4.125" carrier bearings
BK D70-U	Bearing & seal kit w/ under size rear pinion bearings
PK D70	Pinion bearing & seal kit
PK D70-HD	Pinion bearing & seal kit, bearing kit w/ HD 4.125" carrier bearings
PK D70-U	Pinion bearing & seal kit w/ under size rear pinion bearings
MK D70	Minimum kit
MK D70-HD	Minimum kit w/ HD 4.125" carrier bearings
MK D70-U	Minimum kit w/ under size rear pinion bearings

Yokes

Part #	Description
YY D60-1310-29S	1310, strap design
YY D60-1310-29U	1310, U-bolt design
YY D60-1330-29S	1330, 1-1/16", strap
YY D60-1350-29U	1350, 1-3/16", U-bolt design
YY D60-1350-B	1350 Billet Yoke, U-bolt design
YY D60-1350-F	1350, forged, stronger than billet, U-bolt design
YY D60-1410-29S	1410, uses straps, not U-bolts
YY D60-1410-29U	1410, uses U-bolts, not straps


Dana Spicer D70 Differential Dodge, General Motors, Ford (cont.)

YY D60-7290-29	Dodge, 7290 large, fine, strap design
YY D60-RND-29R	Round, companion flange

Spider Gear Kit

Part #	Description
YPKD60-P/L-35	Powr-Lok, 35 spline, includes clutches
YPKD70-P/L-32	32 spline, Powr-Lok, includes clutches, FF only
YPKD70-S-23	23 spline standard, one piece case
YPKD70-S-32	32 spline standard, Dodge diesel & Ford
YPKD70-S-35	35 spline standard, fits one piece case only

Dana Spicer D80 Differential Dodge, General Motors, Ford



Ring Gear Diameter	11.2"
Ring Gear Bolts	(12) 5/8"
Cover Bolts	10
Carrier Breaks	3.73 / 4.10
Yoke/Pinion Spline Count	2.000" / 37

Ring & Pinion Gear Sets

Part #	Ratio
YG D80-331	3.31
YG D80-354	3.54
YG D80-373	3.73
YG D80-373-4	3.73 Thin, fits 4.10 carrier
YG D80-411	4.10
YG D80-430	4.30
YG D80-463	4.63
YG D80-488	4.88
YG D80-513	5.13
YG D80-538	5.38

Overhaul Kits

Part #	Description
YK D80-A	4.125" OD only
YK D80-B	'98 & up Ford, 4.375" OD only
BK D80-A	4.125" OD only
BK D80-B	'98 & up Ford, 4.375" OD only
PK D80-A	4.125" OD only
PK D80-B	'98 & up Ford, 4.375" OD only
MK D80-A	4.125" OD only
MK D80-B	'98 & up Ford, 4.375" OD only


Yokes

Part #	Description
YY D80-1410-37S	1410, strap design



Ford Differential

Ford 7.5" Differential Ford Passenger Car, Small Truck & AstroVan



Ring Gear Diameter	7.5"
Ring Gear Bolts	10 7/16" x 20 RH
Cover Bolts	10
Carrier Breaks	None
Yoke/Pinion Spline Count	1.625" / 28

Ring & Pinion Gear Sets

Part #	Ratio
YG F7.5-273	2.73
YG F7.5-308	3.08
YG F7.5-327	3.27
YG F7.5-345	3.45
YG F7.5-373	3.73
YG F7.5-411	4.10
YG F7.5-456	4.56
YG F7.5-513	5.13

Overhaul Kits

Part #	Description
YK F7.5	Complete master overhaul bearing & seal kit
BK F7.5	Bearing & seal kit
PK F7.5	Pinion bearing & seal kit
MK F7.5	Minimum kit


Spider Gear Kit

Part #	Description
YPKF7.5-S-28	Standard spider gear kit

Yokes

Part #	Description
YY F750600	Round passenger & truck (4.3" OD) flange
YY F750601	1310 pinion
YY F750602	Round truck (5" OD), flange

Ford 8.0" Differential Ford Passenger Car



Ring Gear Diameter	8.0"
Ring Gear Bolts	(10) 7-16" x 20 RH
Cover Bolts	None / Dropout
Carrier Breaks	None
Yoke/Pinion Spline Count	1.188" / 25

Ring & Pinion Gear Sets

Part #	Ratio
YG F8-300	3.00
YG F8-325	3.25
YG F8-355	3.55
YG F8-380	3.80
YG F8-411	4.11
YG F8-462	4.62

Overhaul Kits

Part #	Description
YK F8	Complete master overhaul bearing & seal kit
YK F8-AG	Complete master overhaul bearing & seal kit
BK F8	Bearing & seal kit
BK F8-AG	Bearing & seal kit
PK F8	Pinion bearing seal kit
MK F8	Minimum kit

Spider Gear Kit

Part #	Description
YPKF9-P-28-2	Trac Loc spider gear kit, 2 pinion design
YPKF9-S-28-4	Standard spider gear kit, 4 pinion design
YPKF9-S-28-2	Standard spider gear kit, 2 pinion design
YPKF9-PC-E	Trac Loc clutch set, early equal look, 5 tabs
YPKF9-PC-L	Trac Loc clutch set, late Trac Loc, 4 tabs


Yokes

Part #	Description
YY F800600	1310 pinion



Ford Differential

Ford 8.8" Differential Ford Passenger Car & Truck



Ring Gear Diameter	8.8"
Ring Gear Bolts	(12) 7/16" x 20 RH
Cover Bolts	10
Carrier Breaks	None
Yoke/Pinion Spline Count	1.625" / 28

Ring & Pinion Gear Sets

Standard Rotation

Part #	Ratio
YG F8.8-273	2.73
YG F8.8-308	3.08
YG F8.8-327	3.27
YG F8.8-331	3.31
YG F8.8-355	3.55
YG F8.8-373	3.73
YG F8.8-390	3.90
YG F8.8-411	4.11
YG F8.8-430	4.30
YG F8.8-456	4.56
YG F8.8-488	4.88
YG F8.8-513	5.13
YG F8.8-571	5.71
YG F8.8-614	6.14

Reverse Rotation

Part #	Ratio
YG F8.8R-331R	3.31
YG F8.8R-355R	3.55
YG F8.8R-373R	3.73
YG F8.8R-411R	4.11
YG F8.8R-456R	4.56
YG F8.8R-488R	4.88

Overhaul Kits

Part #	Description
YK F8.8	Complete master overhaul bearing & seal kit
BK F8.8	Bearing & seal kit
PK F8.8	Pinion bearing & seal kit
MK F8.8	Minimum kit
YK F9-HIPIN-C	Reverse high pinion 9" D/O, 31 spline
YK F9-HIPIN-D	Reverse high pinion 9" D/O, 35 spline
BK F9-HIPIN-C	Reverse high pinion 9" D/O, 31 spline
BK F9-HIPIN-D	Reverse high pinion 9" D/O, 35 spline
PK F9-HIPIN-C	Reverse high pinion 9" D/O, 31 spline
PK F9-HIPIN-D	Reverse high pinion 9" D/O, 35 spline
MK F9-HIPIN-C	Reverse high pinion 9" D/O, 31 spline
MK F9-HIPIN-D	Reverse high pinion 9" D/O, 35 spline

Ford 8.8" Differential Ford Passenger Car & Truck (cont.)


Spider Gear Kit

Part #	Description
YPKF8.8-S-28	Standard spider gear kit, 28 spline, not IRS
YPKF8.8-S-28 IRS	Standard spider gear kit, 28 spline, IRS
YPKF8.8-S-31	Standard spider gear kit, 31 spline, 7/8" cross shaft only

Yokes

Part #	Description
YY F880600	Pass & 8.8 IFS truck round yoke (4.3" OD), flange
YY F880601	1330, truck or passenger
YY F880602	Truck round yoke (5" OD), flange
YY F880622	1350 HD, U-bolt design

Ford 9.0" Differential Ford Passenger Car & Truck



Ring Gear Diameter	9"
Ring Gear Bolts	(10) 7/16" x 20 RH
Cover Bolts	None / Dropout
Carrier Breaks	None
Yoke/Pinion Spline Count	1.312" / 28, 1.500" / 35

Ring & Pinion Gear Sets

Part #	Ratio
YG F9-291	2.91
YG F9-300	3.00
YG F9-307	3.07
YG F9-308	3.08
YG F9-310	3.10
YG F9-315	3.15
YG F9-325	3.25
YG F9-333	3.33
YG F9-340	3.40
YG F9-345	3.45
YG F9-350	3.50
YG F9-356	3.56
YG F9-360	3.60
YG F9-364	3.64
YG F9-370	3.70
YG F9-375	3.75
YG F9-382	3.82
YG F9-389	3.89
YG F9-400	4.00
YG F9-411	4.11
YG F9-422	4.22
YG F9-430	4.30
YG F9-433	4.33
YG F9-444	4.44
YG F9-450	4.50
YG F9-456	4.56
YG F9-463	4.63
YG F9-471	4.71
YG F9-478	4.78

Ford Differential



Ford 9.0" Differential Ford Passenger Car & Truck (cont.)

YG F9-486	4.86
YG F9-500	5.00
YG F9-511	5.11
YG F9-513	5.13
YG F9-525	5.25
YG F9-529	5.29
YG F9-533	5.33
YG F9-543	5.43
YG F9-550	5.50
YG F9-557	5.57
YG F9-567	5.67
YG F9-575	5.75
YG F9-583	5.83
YG F9-600	6.00
YG F9-614	6.14
YG F9-620	6.20
YG F9-633	6.33
YG F9-643	6.43
YG F9-650	6.50
YG F9-686	6.86

Lightweight for Racing Applications

Part #	Description
YG F9-LW-411-LW	4.11
YG F9-LW-422-LW	4.22
YG F9-LW-430-LW	4.30
YG F9-LW-433-LW	4.33
YG F9-LW-456-LW	4.56
YG F9-LW-471-LW	4.71
YG F9-LW-478-LW	4.78
YG F9-LW-486-LW	4.86
YG F9-LW-500-LW	5.00
YG F9-LW-513-LW	5.13
YG F9-LW-525-LW	5.26
YG F9-LW-529-LW	5.29
YG F9-LW-538-LW	5.38
YG F9-LW-543-LW	5.43
YG F9-LW-550-LW	5.50
YG F9-LW-557-LW	5.57
YG F9-LW-567-LW	5.67
YG F9-LW-583-LW	5.83
YG F9-LW-600-LW	6.00
YG F9-LW-614-LW	6.14
YG F9-LW-620-LW	6.20
YG F9-LW-633-LW	6.33
YG F9-LW-650-LW	6.50
YG F9-LW-666-LW	6.67
YG F9-LW-683-LW	6.83
YG F9-LW-700-LW	7.00
YG F9-LW-716-LW	7.16
YG F9-LW-733-LW	7.33

9310 High Nickel Drag Race only "PRO" Gears, 28 spline standard pinion shaft

Part #	Description
YG F9-PRO-411	4.11
YG F9-PRO-429	4.29
YG F9-PRO-456	4.57
YG F9-PRO-486	4.86
YG F9-PRO-513	5.13

9310 High Nickel Drag Race only "PRO" Gears, 35 spline oversize pinion shaft

Part #	Description
YG F9-PRO-411-0	4.11

Ford 9.0" Differential Ford Passenger Car & Truck (cont.)

Part #	Description
YG F9-PRO-429-0	4.29
YG F9-PRO-456-0	4.56
YG F9-PRO-486-0	4.86
YG F9-PRO-513-0	5.13

Overhaul Kits

Part #	Description
YK F9-A	LM102910/49
YK F9-B	LM501310/49
YK F9-C	LM603012/49
YK F9-D	LM104911/49
YK F9-HDA	Daytona w/ LM104911/49
YK F9-HDB	Daytona w/ LM104911/49
YK F9-HDC	Daytona w/ LM104911/49
YK F9-HDD	Daytona w/ LM104911/49
YK F9-RD	28 spline oversize pinion support w/ HM804810/46 & LM104911/49
YK F9-ROD	35 spline oversize pinion support w/ HM804810/46 & LM104911/49
BK F9-A	LM102910/49
BK F9-B	LM501310/49
BK F9-C	LM603012/49
BK F9-D	LM104911/49
BK F9-HDA	Daytona w/ LM104911/49
BK F9-HDB	Daytona w/ LM104911/49
BK F9-HDC	Daytona w/ LM104911/49
BK F9-HDD	Daytona w/ LM104911/49
PK F9-A	LM102910/49
PK F9-B	LM501310/49
PK F9-C	LM603012/49
PK F9-HDA	Daytona w/ LM104911/49
PK F9-HDB	Daytona w/ LM104911/49
PK F9-HDC	Daytona w/ LM104911/49
PK F9-HDD	Daytona w/ LM104911/49
MK F9-A	LM102910/49
MK F9-B	LM501310/49
MK F9-C	LM603012/49

Spider Gear Kit

Part #	Description
YPKF9-P-28-2	28 spline, Trac Loc, 2 pinion
YPKF9-S-28-2	28 spline, standard, 2 pinion
YPKF9-P-28-4	28 spline, Trac Loc, 4 pinion
YPKF9-S-28-4	28 spline, standard, 4 pinion
YPKF9-P-31-2	31 spline, Trac Loc, 2 pinion
YPKF9-S-31-2	31 spline, standard, 2 pinion
YPKF9-P-31-4	31 spline, Trac Loc, 4 pinion
YPKF9-S-31-4	31 spline, standard, 4 pinion
YPKF9-PC-E	Clutch set, early equal loc, 5 tabs
YPKF9-PC-L	Clutch set, late Trac Loc, 4 tabs
YPKF9-PC-SHIMS	Trac Loc, clutch shim kit

Yokes

Part #	Description
YY F900600	1330, (1-1/8" cup) 28 spline, HD, short truck or passenger, 4" length
YY F900601	1310, 28 spline, short truck or passenger, 4" length
YY F900602	1330, 28 spline, long, 5" length overall
YY F900603	1330, 28 spline, short for Daytona pinion support, 4" length
YY F900604	1310, 28 spline, short for Daytona pinion support, 4" length




Ford Differential

Ford 9.0" Differential Ford Passenger Car & Truck (cont.)

YY F900605	1330, 28 spline, w/ pulley for pump, fits Daytona pinion support, 4" length
YY F900622	1350, 28 spline pinion cast, regular or Daytona pinion support, 4" length
YY F900623	1350, 35 spline pinion cast, regular or Daytona pinion support, 4" length
YY F900631	1310, 28 spline billet, 4140 steel
YY F900632	1350, 28 spline billet, 4140 steel
YY F900633	1350, 35 spline billet, 4140 steel
YY F900640	1310, 28 spline, aluminum, 7075, billet aluminum
YY F900642	1350, 28 spline, aluminum, 7075, billet aluminum
YY F900643	1350, 35 spline, aluminum, 7075, billet aluminum
YY F900651	28 spline female coupler, needs HD pinion support
YY F900653	35 spline female (inside spline) coupler, needs HD pinion support
YY F900654	35 spline male (outside spline) coupler, needs HD pinion support
YY F900655	40 spline female coupler, needs HD pinion support
YY F900662	1350, 28 spline forged, stronger than billet
YY F900663	1350, 35 spline forged, stronger than billet

Ford 9.75" Differential Ford



Ring Gear Diameter	9.750"
Ring Gear Bolts	(12) 12mm x 1.25 RH
Cover Bolts	12
Carrier Breaks	None
Yoke/Pinion Spline Count	1.970" / 31

Ring & Pinion Gear Sets

Part #	Ratio
YG F9.75-308	3.08
YG F9.75-331	3.31
YG F9.75-373	3.73
YG F9.75-411	4.11
YG F9.75-456	4.56

Overhaul Kits

Part #	Description
YK F9.75-A	Complete master overhaul bearing & seal kit
BK F9.75-A	Bearing & seal kit
PK F9.75-A	Pinion bearing & seal kit
MK F9.75-A	Minimum kit

Ford 9.75" Differential Ford (cont.)


Spider Gear Kit

Part #	Description
YPKF9.75-S-34	Standard spider gear kit, 34 spline

Yokes

Part #	Description
YY F975600	Round pinion, flange

Ford 10.25" Differential Ford Truck



Ring Gear Diameter	10.25"
Ring Gear Bolts	(12) 1/2" x 20 RH
Cover Bolts	12
Carrier Breaks	None
Yoke/Pinion Spline Count	1.940" / 31

Ring & Pinion Gear Sets

All long spline ('93 & Up) will fit earlier (83 & '92) when used late with model long spline yoke.

Part #	Ratio
YG F10.25-308	3.08
YG F10.25-355	3.55
YG F10.25-373	3.73
YG F10.25-411	4.10
YG F10.25-430	4.30
YG F10.25-456	4.56
YG F10.25-488	4.88
YG F10.25-513	5.13
YG F10.25-538	5.38

Overhaul Kits

Part #	Description
YK F10.25	Complete master overhaul bearing & seal kit
BK F10.25	Bearing & seal kit
PK F10.25	Pinion bearing & seal kit
MK F10.25	Minimum kit

Spider Gear Kit


Part #	Description
YPKF10.25-S-35	Standard spider gear kit

Yokes

Part #	Description
YY F100600	'92 & down, short spline, 1330, U-bolt
YY F100601	'92 & down, short spline, 1350, strap
YY F100602	'93 & up, long spline, 1330, U-bolt
YY F100603	'93 & up, long spline, 1350, strap
YY F100604	'92 & down, short spline, 1410, strap
YY F100605	'93 & up, long spline, 1410, strap

Ford Differential

Ford 10.5" Differential Ford



Ring Gear Diameter	10.5"
Ring Gear Bolts	(12) 1/2" x 20 RH
Cover Bolts	12
Carrier Breaks	None
Yoke/Pinion Spline Count	1.940" / 31

Ring & Pinion Gear Sets

Part #	Ratio
YG F10.25-308	3.08
YG F10.25-355	3.55
YG F10.25-373	3.73
YG F10.25-411	4.10
YG F10.25-430	4.30
YG F10.25-458	4.56
YG F10.25-488	4.88
YG F10.25-513	5.13
YG F10.25-538	5.38

Note: 10.25" Ring & Pinion sets will only work in 10.5" housing when used with 10.25" pinion bearings.

Ford 10.5" Differential Ford (cont.)

Overhaul Kits

Part #	Description
YK F10.25	Complete master overhaul bearing & seal kit
BK F10.25	Bearing & seal kit
PK F10.25	Pinion bearing & seal kit
MK F10.25	Minimum kit
YK F10.5	Complete master overhaul bearing & seal kit
BK F10.5	Bearing & seal kit
PK F10.5	Pinion bearing & seal kit
MK F10.5	Minimum kit

Spider Gear Kit

Part #	Description
YPKF10.25-S-35	Standard spider gear kit

Yokes


Part #	Description
YY F100600	'92 & down, short spline, 1330, U-bolt
YY F100601	'92 & down, short spline, 1350, strap
YY F100602	'93 & up, long spline, 1330, U-bolt
YY F100603	'93 & up, long spline, 1350, strap
YY F100604	'92 & down, short spline, 1410, strap
YY F100605	'93 & up, long spline, 1410, strap





GM Differential

GM 55P Differential 1955 – 1964 Chevrolet Passenger Car



Ring Gear Diameter	8.4"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	None / Dropout
Carrier Breaks	3.73 / 4.10
Yoke/Pinion Spline Count	1.438" / 17

Ring & Pinion Gear Sets

Part #	Ratio
YG GM55P-308	3.08
YG GM55P-355	3.55
YG GM55P-373	3.73
YG GM55P-411T	4.10 Thick, fits 3 series case

Overhaul Kits

Part #	Description
YK GM55CHEVY	Complete master overhaul bearing & seal kit
BK GM55CHEVY	Bearing & seal kit
PK GM55CHEVY	Pinion bearing & seal kit
MK GM55CHEVY	Minimum kit

Spider Gear Kit

Part #	Description
YPKGGM55P-S-17	Standard spider gear kit
YPKGGM55P-P/L-17	Powr-spider gear kit (clutches not included)

GM 55T Differential 1955 – 1962 1/2 Ton Chevy Truck



Ring Gear Diameter	9.375"
Ring Gear Bolts	(12) 3/8" x 24 RH
Cover Bolts	12
Carrier Breaks	None
Yoke/Pinion Spline Count	1.438" / 17

Ring & Pinion Gear Sets

Part #	Ratio
GM55T-338	3.38

Overhaul Kits

Part #	Description
YK GM55CHEVY	Complete master overhaul bearing & seal kit
BK GM55CHEVY	Bearing & seal kit
PK GM55CHEVY	Pinion bearing & seal kit
MK GM55CHEVY	Minimum kit

GM 7.2" Differential GM IFS

Ring Gear Diameter	7.2"
Ring Gear Bolts	(10) 7/16" x 20 LH
Cover Bolts	N/A
Carrier Breaks	3.08 / 3.42
Yoke/Pinion Spline Count	1.313" / 27

Ring & Pinion Gear Sets

Part #	Ratio
YG GM7.2-308R	3.08
YG GM7.2-342R	3.42
YG GM7.2-373R	3.73
YG GM7.2-411R	4.11
YG GM7.2-456R	4.56

Overhaul Kits

Part #	Description
YK GM7.2IFS	Complete master overhaul bearing & seal kit
BK GM7.2IFS	Bearing & seal kit
PK GM7.2IFS	Pinion bearing & seal kit
MK GM7.2IFS	Minimum kit


Spider Gear Kit

Part #	Description
YPKGGM7.2IFS-S	Standard spider gear kit

Yokes

Part #	Description
YY GM14039582	Mechanics 3R

GM 7.5" Differential GM Passenger Car & Truck



Ring Gear Diameter	7.5"
Ring Gear Bolts	(10) 7/16" x 20 LH
Cover Bolts	10
Carrier Breaks	3.08 / 3.42
Yoke/Pinion Spline Count	27

Ring & Pinion Gear Sets

Part #	Ratio
YG GM7.5-273	2.73
YG GM7.5-308	3.08
YG GM7.5-323	3.23
YG GM7.5-342	3.42
YG GM7.5-342T	3.42 Thick, fits 3.08 carrier
YG GM7.5-373	3.73
YG GM7.5-373T	3.73 Thick, fits 3.08 carrier
YG GM7.5-411	4.11
YG GM7.5-411T	4.11 Thick, fits 3.08 carrier
YG GM7.5-430	4.30
YG GM7.5-456	4.56
YG GM7.5-456T	4.56 Thick, fits 3.08 carrier

GM Differential



GM 7.5" Differential GM Passenger Car & Truck (cont.)

Overhaul Kits

Part #	Description
YK GM7.5-E	'81 & down w/ HM89410/49
YK GM7.5-L	'82 & up w/ HM89210/49
YK GM7.5V	Monza, Starfire
BK GM7.5-E	'81 & down w/ HM89410/49
BK GM7.5-L	'82 & up w/ HM89210/49
BK GM7.5-V	Monza, Starfire
PK GM7.5-E	'81 & down w/ HM89410/49
PK GM7.5-L	'82 & up w/ HM89210/49
PK GM7.5-V	Monza, Starfire
PK GM7.5-E	'81 & down w/ HM89410/49
MK GM7.5-L	'82 & up w/ HM89210/49
MK GM7.5-V	Monza, Starfire

Spider Gear Kit

Part #	Description
YPKGM7.5-S-26	Standard, 26 spline, fits case w/ 2 large windows
YPKGM7.625-S-28	Standard, 28 spline, fits case w/ 1 large window & 1 small window

Yokes

Part #	Description
YY GM7827670	Mechanics 3R, inside clips
YY GM26014374	Mechanics 3R dampered pinion, w/ harmonic, inside clips
YY GM26006975	1350, Astro Van, outside clips

GM 7.75" Differential GM, Z28 Camaro & Trans Am

Ring Gear Diameter	7.75"
Ring Gear Bolts	(8)
Cover Bolts	9
Carrier Breaks	2.77 / 3.07

Ring & Pinion Gear Sets

Part #	Ratio
YG GM7.75-373BW	3.70

Overhaul Kits

Part #	Description
YK GM7.75BW	Complete master overhaul bearing kit
BK GM7.75BW	Bearing & seal kit
PK GM7.75BW	Pinion bearing & seal kit
MK GM7.75BW	Minimum kit


GM 8.0" Differential Onyoy / Trail Blazer

Ring Gear Diameter	8.0"
Ring Gear Bolts	(10) 7/16" x 20 LH
Cover Bolts	10

Ring & Pinion Gear Sets

Part #	Ratio
YG GM8.0-342	3.42
YG GM8.0-373	3.73
YG GM8.0-411	4.11

GM 8.2" Differential 1964 - 1972 Chevrolet Passenger Car



Ring Gear Diameter	8.2"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	2.76 / 3.07
Yoke/Pinion Spline Count	1.438" / 25
Pinion Nut Size	1-1/8"

Ring & Pinion Gear Sets

Part #	Ratio
YG GM8.2-308	3.08
YG GM8.2-336	3.36
YG GM8.2-355	3.55
YG GM8.2-373	3.73
YG GM8.2-411	4.11
YG GM8.2-456	4.56
YG GMBOP-411	4.10 fits BOG only

Overhaul Kits

Part #	Description
YK GM8.2	'64-'72 Chevy
YK GM8.2BOP	Buick, Olds, Pontiac
BK GM8.2	'64-'72 Chevy
BK GM8.2BOP	Buick, Olds, Pontiac
PK GM8.2	'64-'72 Chevy
PK GM8.2BOP	Buick, Olds, Pontiac
MK GM8.2	'64-'72 Chevy
MK GM8.2BOP	Buick, Olds, Pontiac

Yokes

Part #	Description
YY GM8.2-SLEEVE	Adapter sleeve to fit 8.2 Chevy R&P to 8.2 BOP housing
YPK GM8.2-5-28	Standard spider gen set



YUKON GEAR & AXLE



GM Differential

GM CAST IRON VET Differential 1963 – 1979 Corvette

Ring Gear Diameter	8.2"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	8
Carrier Breaks	3.73 / 4.10
Yoke/Pinion Spline Count	1.625" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GMVET-308	3.08
YG GMVET-336	3.36
YG GMVET-355	3.55
YG GMVET-373	3.70
YG GMVET-411	4.11
YG GMVET-411T	4.11 Thick, fits 3.73 carrier

Overhaul Kits

Part #	Description
YK GMVET-CI	Complete master overhaul bearing & seal kit, includes side bearings & seals
BK GMVET-CI	Bearing & seal kit, includes side bearings & seals
PK GMVET-CI	Pinion bearing & seal kit
MK GMVET-CI	Minimum kit

Spider Gear Kit

Part #	Description
YPKGMVET-P-17	Positraction spider gear set, 17 spline, clutches not included

Yokes

Part #	Description
YY GM3878972	1310, U-bolt design
YY GM3996118	1310, strap design
YY GM12-1310-B	1310 billet, U-bolt design
YY GM12-1330-F	1330 forged
YY GM12-1350-A	1350 aluminum
YY GM12-1350-B	1350 billet
YY GM12-1350-C	1350 cast
YY GM12-1350-F	1350 forged, stronger than billet
YY GM14024380	'80-'82 manual & all '82 Vette RH inner
YY GM14016436	'63-'79 CI Vette, inner stub (U-bolts), side yoke, no core
YY GM14018209	'80-'81 automatic Vette, outer spindle
YY GM14018210	'80-'81 manual & '82 all Vette, 5/16" outer spindle
YY GM14024377	'80-'81 automatic, Vette LH inner
YY GM14024377	Corvette side, auto transmission
YY GM14024378	'80-'81 automatic, Vette RH inner
YY GM14024378	Corvette side, auto transmission
YY GM14024379	'80-'81 manual & '82 all Vette LH inner
YY GM14024379	Corvette side, manual transmission
YY GM14024380	Corvette side, manual transmission
YY GM360913	'63-'79 CI Vette outer spindle
YY GM3839830	'63-'79 CI Vette outer spindle
YY GM3872922	'63-'69 CI Vette inner stub (straps), no core
YY GM3879208	'65-'79 CI Vette 1330, strap design

GM D 36-ICA Differential Corvette

Ring Gear Diameter	8"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	2.73 / 3.07

Ring & Pinion Gear Sets

Part #	Ratio
YG D36-259	2.59
YG D36-273	2.73
YG D36-308	3.07
YG D36-354	3.54
YG D36-354T	3.54 Thick, fits 2.73 carrier
YG D36-373	3.73
YG D36-373T	3.73 Thick, fits 2.73 carrier

Overhaul Kits

Part #	Description
YK D36-VET	Complete master overhaul bearing kit, includes side bearing & seals
BK D36-VET	Bearing & seal kit, includes side bearings & seals
PK D36-VET	Pinion bearing seal kit
MK D36-VET	Minimum kit

GM D44-ICA Differential Corvette

Ring Gear Diameter	8.5"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	3.73 / 3.92
Yoke/Pinion Spline Count	1.375" / 26

Ring & Pinion Gear Sets

Part #	Ratio
YG D44-308	3.07
YG D44-331	3.31
YG D44-354	3.54
YG D44-373	3.73
YG D44-392	3.92
YG D44-411	4.09
YG D44-411T	4.09 Thick, fits 3.73 carrier
YG D44-427	4.27
YG D44-430T	4.30 Thick, fits 3.73 carrier
YG D44-456	4.55
YG D44-456T	4.56 Thick, fits 3.73 carrier
YG D44-488	4.89
YG D44-488T	4.89 Thick, fits 3.73 carrier
YG D44-513	5.13
YG D44-538	5.38
YG D44-589	5.89
YG D44HD-354	Refer to GM D44-ICA HD section
YG D44HD-373	Refer to GM D44-ICA HD section
YG D44HD-390	Refer to GM D44-ICA HD section
YG D44HD-411	Refer to GM D44-ICA HD section
YG D44HD-456	Refer to GM D44-ICA HD section

GM Differential



GM D44-ICA Differential Corvette (cont.)

Overhaul Kits

Part #	Description
YK D44-ICA	Complete master overhaul bearing & seal kit
BK D44-ICA	Bearing & seal kit
PK D44-ICA	Pinion bearing & seal kit
MK D44-ICA	Minimum kit

Spider Gear Kit

Part #	Description
YPK D44-T/L-30	Trac Lok spider gear set, includes clutches

Yokes

Part #	Description
YY D44-1310-10U	1310, coarse, U-bolt design
YY D44-1310-26S	1310, strap design
YY D44-1310-26U	1310, fine, U-bolt design
YY D44-1330-26U	1330, U-bolt design
YY D44-1350-26S	1350, strap design

GM D44-ICA HD Differential Dodge, Viper, Corvette, Jeep Grand Cherokee

Ring Gear Diameter	8.5"
Ring Gear Bolts	(10) 3/8" x 24 RH
Cover Bolts	10
Carrier Breaks	None
Yoke/Pinion Spline Count	1.625" / 29

Ring & Pinion Gear Sets

Part #	Ratio
YG D44HD-354	3.54
YG D44HD-373	3.73
YG D44HD-390	3.91
YG D44HD-411	4.10
YG D44HD-456	4.56

Overhaul Kits

Part #	Description
YK D44HD	Grand Cherokee w/ aluminum housing
YK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
BK D44HD	Grand Cherokee w/ aluminum housing
BK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
PK D44HD	Pinion bearing seal kit
PK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals
MK D44HD	Grand Cherokee w/ aluminum housing
MK D44HD-VET	'84-'96 Vette & Viper, includes side bearings & seals

GM D44-ICA HD Differential Dodge, Viper, Corvette, Jeep Grand Cherokee

Yokes

Part #	Description
YY D60-1310-29S	1310, strap design
YY D60-1310-29U	1310, U-bolt design
YY D60-1330-29S	1330, 1-1/16", strap
YY D60-1350-29U	1350, 1-3/16", U-bolt design
YY D60-1350-B	1350 Billet Yoke, U-bolt design
YY D60-1350-F	1350, forged, stronger than billet, U-bolt design
YY D60-1410-29S	1410, uses straps, not U-bolts
YY D60-1410-29U	1410, uses U-bolts, not straps
YY D60-7290-29	Dodge, 7290 large, fine, strap design
YY D60-RND-29R	Round, companion flange side bearings & seals

GM 8.25" Differential Truck Independent Front Suspension

Ring Gear Diameter	8.25"
Ring Gear Bolts	(10) 7/16" x 20 LH
Cover Bolts	N/A
Carrier Breaks	None
Yoke/Pinion Spline Count	1.625" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM8.25-342R	3.42
YG GM8.25-373R	3.73
YG GM8.25-411R	4.11
YG GM8.25-456R	4.56
YG GM8.25-488R	4.88
YG GM8.25-513R	5.13

Overhaul Kits

Part #	Description
YK GM8.25IFS-A	'98 & down, complete master overhaul bearing & seal kit
YK GM8.25IFS-B	'99 & up, complete master overhaul bearing & seal kit
BK GM8.25IFS-A	'98 & down, bearing & seal kit
BK GM8.25IFS-B	'99 & up, bearing & seal kit
PK GM8.25IFS-A	'98 & down, pinion bearing & seal kit
PK GM8.25IFS-B	'99 & up, pinion bearing & seal kit
MK GM8.25IFS-A	'98 & down, minimum kit
MK GM8.25IFS-B	'99 & up, minimum kit

Spider Gear Kit

Part #	Description
YPKGM8.25IFS-S	Standard spider gear kit


Yokes

YY GM1558-8386	Mechanics 3R inside clips
----------------	---------------------------



GM Differential

GM 8.5" Differential 1970 – Present GM Passenger Car 1978 – 1999 GM 1/2 Ton Truck



Ring Gear Diameter	8.5"
Ring Gear Bolts	(10) 7/16" x 18 LH
Cover Bolts	10
Carrier Breaks	2.56 / 2.73
Yoke/Pinion Spline Count	1.625" / 30
Pinion Nut Size	1-1/4"

Ring & Pinion Gear Sets

Part #	Ratio
YG GM8.5-273	2.73
YG GM8.5-293	2.93
YG GM8.5-308	3.08
YG GM8.5-323	3.23
YG GM8.5-342	3.42
YG GM8.5-373	3.73
YG GM8.5-390	3.90
YG GM8.5-411	4.11
YG GM8.5-456	4.56
YG GM8.5-488	4.88
YG GM8.5-513	5.13
YG GM8.5-538	5.38
YG GM8.5-557	5.57

Overhaul Kits

Part #	Description
YK GM8.5	Rear kit
YK GM8.5-F	Rear kit
YK GM8.5-HD	Rear LM102911/49, heavy duty for large carrier bearing
YK GM8.5-HD-F	Front, LM102911/49, heavy duty for large carrier bearing
YK GM8.5OLDS-28	'70-'72 Olds , 20 spline w/ LM501310/49
YK GM8.5OLDS-31	'70-'72 Olds , 31 spline w/ LM503012/49
BK GM8.5	Rear kit
BK GM8.5-F	Front kit
BK GM8.5-HD	Rear LM102911/49, heavy duty for large carrier bearing
BK GM8.5-HD-F	Front, LM102911/49, heavy duty for large carrier bearing
PK GM8.5	Rear kit
PK GM8.5-E	Rear kit
PK GM8.5-F	Front kit
PK GM8.5OLDS-28	'70-'72 Olds , 20 spline w/ LM501310/49
PK GM8.5OLDS-31	'70-'72 Olds , 31 spline w/ LM503012/49
MK GM8.5	Front kit
MK GM8.5-F	Rear kit
MK GM8.5OLDS-28	'70-'72 Olds , 20 spline w/ LM501310/49
MK GM8.5OLDS-31	'70-'72 Olds , 31 spline w/ LM503012/49

GM 8.5" Differential 1970 – Present GM Passenger Car 1978 – 1999 GM 1/2 Ton Truck


Spider Gear Kit

Part #	Description
YPKGM8.5-P-28	28 spline, posi, spider gear kit, Eaton design, clutch not included
YPKGM8.5-P-30	30 spline, posi, spider gear kit, Eaton design, clutch not included
YPKGM8.5-PC-E	Clutch set, early OEM w/ square tabs
YPKGM8.5-S-28	Standard spider gear kit, 28 spline
YPKGM8.5-S-30	Standard spider gear kit, 30 spline
YPK GM12-PC-14	Fits Eaton, 14 plate carbon clutches
YPK GM12-PC-18	Fits Eaton, 18 plate steel clutches
YPK GM12-PC-22	Fits Eaton, 22 plate steel clutches

Yokes

Part #	Description
YY GM12470387	Mechanics 3R, inside snap ring
YY GM14018211	1310, straps, outside snap rings
YY GM3988524	1310, outside snap rings
YY GM15588336	Mechanics 3R, inside snap rings
YY GM8.5-1350-C	1350, cast, U-bolts
YY GM8.5-1350-F	1350, forged, U-bolts

GM 8.6" Differential 2000 & Up 1/2 Ton Truck



Ring Gear Diameter	8.6"
Ring Gear Bolts	(10) 7/16" x 20 LH
Cover Bolts	10
Carrier Breaks	2.56 / 2.73
Yoke/Pinion Spline Count	1.625" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM8.5-273	2.73
YG GM8.5-293	2.93
YG GM8.5-308	3.08
YG GM8.5-323	3.23
YG GM8.5-342	3.42
YG GM8.5-373	3.73
YG GM8.5-390	3.90
YG GM8.5-411	4.11
YG GM8.5-456	4.56
YG GM8.5-488	4.88
YG GM8.5-513	5.13
YG GM8.5-538	5.38
YG GM8.5-557	5.57
YG GM 8.5-600	6.00

GM Differential

GM 8.6" Differential 2000 & up 1/2 ton Truck (cont.)

Overhaul Kits

Part #	Description
YK GM8.6	'99 & up, complete master overhaul bearing & seal kit
BK GM8.6	Bearing & seal kit
PK GM8.6	Pinion bearing & seal kit
MK GM8.6	Minimum kit


Spider Gear Kit

Part #	Description
YPKGM8.6-S-30V2	Standard, fits 2000 & newer with one large window & one small window

Yokes

Part #	Description
YY GM12470387	Mechanics 3R, inside snap ring
YY GM14018211	1310, straps, outside snap rings
YY GM3988524	1310, outside snap rings
YY GM15588336	Mechanics 3R, inside snap rings
YY GM8.5-1350-C	1350, cast, U-bolts
YY GM8.5-1350-F	1350, forged, U-bolts

GM 12P Differential 1964 - 1972 Chevy & Other GM Passenger Cars



Ring Gear Diameter	8.875"
Ring Gear Bolts	(12) 3/8" x 24 RH
Cover Bolts	12
Carrier Breaks	2.76 / 3.08-3.90 / 4.10
Yoke/Pinion Spline Count	1.625" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM12P-308	3.08
YG GM12P-342	3.42
YG GM12P-373	3.73
YG GM12P-373-4	3.73 Thin, fits 4.10 case
YG GM12P-411T	4.10 Thick, fits 3.90 case
YG GM12P-411	4.10
YG GM12P-430	4.30
YG GM12P-456	4.56
YG GM12P-456T	4.56 Thick, fits 3.90 case
YG GM12P-488	4.88
YG GM12P-488T	4.88 Thick, fits 3.90 case
YG GM12P-513	5.14
YG GM12P-538	4.38
YG GM12P-557	5.57
YG GM12P-600	6.00

Overhaul Kits

Part #	Description
YK GM12P	Complete master overhaul bearing & seal kit
BK GM12P	Bearing & seal kit

GM 12P Differential 1964 - 1972 Chevy & Other GM Passenger Cars (cont.)

PK GM12P	Pinion bearing & seal kit
MK GM12P	Minimum kit


Spider Gear Kit

Part #	Description
YPKGM12-P-30	Eaton Posi, 30 spline spider gear kit
YPKGM12-P-33	Eaton Posi, 33 spline Standard spider gear kit
YPKGM12-PC-14	Eaton Posi, clutch set - 14 plate, carbon fiber
YPKGM12-PC-18	Eaton Posi, clutch set - 18 plate, steel
YPKGM12-PC-22	Eaton Posi, clutch set - 22 plate, steel
YPKGM12-S-30	Standard spider gear kit, 30 spline

Yokes

Part #	Description
YY GM3879208	1330, strap design
YY GM3878972	1310, U-bolt design
YY GM3996118	1310, strap design
YY GM12-1350-B	1350 billet, U-bolt design
YY GM12-1350-C	1350 cast, U-bolt design
YY GM12-1350-F	1350 forged, stronger than billet, U-bolt design

GM 12T Differential 1963 - 1982 GM 1/2 ton Truck



Ring Gear Diameter	8.875"
Ring Gear Bolts	(12) 3/8" x 24 RH
Cover Bolts	12
Carrier Breaks	2.73 / 2.76-3.42 / 3.73
Yoke/Pinion Spline Count	1.438" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM12T-276	2.76
YG GM12T-308	3.07
YG GM12T-342	3.42
YG GM12T-373	3.73
YG GM12T-373T	3.73 Thick, fits 3.42 carrier
YG GM12T-411	4.11
YG GM12T-411T	4.11 Thick, fits 3.42 carrier
YG GM12T-456	4.56
YG GM12T-456T	4.56 Thick, fits 3.42 carrier
YG GM12T-488	4.88
YG GM12T-488T	4.88 Thick, fits 3.42 carrier
YG GM12T-513	5.13
YG GM12T-538	5.38



GM Differential

GM 12T Differential 1963 – 1982 GM 1/2 Ton Truck (cont.)

Overhaul Kits

Part #	Description
YK GM12T	Complete master overhaul bearing & seal kit
BK GM12T	Bearing & seal kit
PK GM12T	Pinion bearing & seal kit
MK GM12T	Minimum kit

Spider Gear Kit

Part #	Description
YPKGGM12-P-30	Eaton Posi, 30 spline spider gear kit
YPKGGM12-P-33	Eaton Posi, 33 spline Standard spider gear kit
YPKGGM12-PC-14	Eaton Posi, clutch set – 14 plate, carbon fiber
YPKGGM12-PC-18	Eaton Posi, clutch set – 18 plate, steel
YPKGGM12-PC-22	Eaton Posi, clutch set – 22 plate, steel
YPKGGM12-S-30	Standard spider gear kit, 30 spline

Yokes

Part #	Description
YY GM3879208	1330, strap design
YY GM3878972	1310, U-bolt design
YY GM3996118	1310, strap design
YY GM12-1350-B	1350 billet, U-bolt design
YY GM12-1350-C	1350 cast, U-bolt design
YY GM12-1350-F	1350 forged, stronger than billet, U-bolt design

GM 9.25" Differential 1988 - Present 3/4 & 1 Ton IFS GM

Ring Gear Diameter	9.25"
Ring Gear Bolts	(12) 12mm x 1.5 LH
Cover Bolts	14
Carrier Breaks	None
Yoke/Pinion Spline Count	1.875" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM9.25-342R	3.42
YG GM9.25-373R	3.73
YG GM9.25-411R	4.10
YG GM9.25-456R	4.56
YG GM9.25-488R	4.88
YG GM9.25-513R	5.13
YG GM9.25-538R	5.38

Overhaul Kits

Part #	Description
YK GM9.25IFS	Complete master overhaul bearing & seal kit
BK GM9.25IFS	Bearing & seal kit
PK GM9.25IFS	Pinion bearing & seal kit
MK GM9.25IFS	Minimum kit


Yokes

Part #	Description
YY GM15579602	1350

Spider Gear Kit

Part #	Description
YPK GM9.5-S-33	Standard spider gear kit

GM 9.5" Differential 1981 – Present GM 3/4 Ton & some HD 1/2 Ton



Ring Gear Diameter	9.5"
Ring Gear Bolts	(12) 12mm x 1.5 LH
Cover Bolts	14
Carrier Breaks	None
Yoke/Pinion Spline Count	1.875" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM9.5-323	3.23
YG GM9.5-342	3.42
YG GM9.5-373	3.73
YG GM9.5-411	4.10
YG GM9.5-456	4.56
YG GM9.5-488	4.88

Overhaul Kits

Part #	Description
YK GM9.5-A	'79-'97, complete master overhaul bearing & seal kit
YK GM9.5-B	'96 & up, complete master overhaul bearing & seal kit
BK GM9.5-A	'79-'97, bearing & seal kit
BK GM9.5-B	'96 & up, bearing & seal kit
PK GM9.5-A	Pinion bearing & seal kit
PK GM9.5-B	Pinion bearing & seal kit
MK GM9.5-A	'79-'97, minimum kit
MK GM9.5-B	'96 & newer, minimum kit

Spider Gear Kit

Part #	Description
YPKGGM9.5-S-33	Standard spider gear kit


Yokes

Part #	Description
YY GM15579602	'97 & down, 1350
YY GM12470384	'98 & up, 3 clip design

GM Differential



GM 14T Differential 1973 & Up GM 3/4 & 1 Ton



Ring Gear Diameter	10.5"
Ring Gear Bolts	(12) 9/16 x 18 RH
Cover Bolts	14
Carrier Breaks	4.10 / 4.56
Yoke/Pinion Spline Count	1.750" / 30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM14T-321	3.21
YG GM14T-342	3.42
YG GM14T-373	3.73
YG GM14T-411	4.11
YG GM14T-456	4.56
YG GM14T-456T	4.56 Thick, fits 4.10 carrier
YG GM14T-488	4.88
YG GM14T-488T	4.88 Thick, fits 4.10 carrier
YG GM14T-513	5.13
YG GM14T-513T	5.13 Thick, fits 4.10 carrier

Overhaul Kits

Part #	Description
YK GM14T-A	'88 & down, 4 rib housing
YK GM14T-B	'89 to '97/98, 16 rib housing
YK GM14T-C	'98 & up, 3 clip pinion seal
YK GM14T-84-85	'84-'85, bearing master overhaul kit
BK GM14T-A	'88 & down, bearing & seal kit
BK GM14T-B	'89 to '97/98, bearing & seal kit
BK GM14T-C	'98 & up, bearing & seal kit
PK GM14T-A	'88 & down, pinion bearing & seal kit
PK GM14T-B	'89 to '97/98, pinion bearing & seal kit
PK GM14T-C	Pinion bearing & seal kit
MK GM14T-A	'88 & down, minimum kit
MK GM14T-B	'89 to '97/98, minimum kit
MK GM14T-C	'98 & up, minimum kit

Spider Gear Kit

Part #	Description
YPKGM14T-S-30	Standard spider gear kit

Yokes

Part #	Description
YY GM26020811	1350 yoke
YY GM26018688	1410 yoke

GM 11.5" Differential 2000 & Up Extra HD 3/4 & 1 Ton



Ring Gear Diameter	11.5"
Ring Gear Bolts	12
Cover Bolts	14
Carrier Breaks	None
Yoke/Pinion Spline Count	30

Ring & Pinion Gear Sets

Part #	Ratio
YG GM11.5-373	3.73
YG GM11.5-411	4.11
YG GM11.5-456	4.56
YG GM11.5-488	4.88
YG GM11.5-513	5.13
YG GM11.5-538	5.38

Overhaul Kits

Part #	Description
YK GM11.5	Complete master overhaul bearing & seal kit
BK GM11.5	Bearing & seal kit
PK GM11.5	Pinion bearing & seal kit
MK GM11.5	Minimum kit


Spider Gear Sets

Part #	Description
YPK GM11.5-S-30	Standard spider gear kit

Yokes

Part #	Description
YY GM12471498	1480 series
YY GM12471500	1410 series
YY GM40007479	1480 series

GM HO72 Differential 1962 - 1972 3/4 & 1 Ton Chevy & GMC



Ring Gear Diameter	10.0"
Ring Gear Bolts	(12) 9/16" x 18 RH
Carrier Breaks	None

Ring & Pinion Gear Sets

Part #	Ratio
YG GMHO72-390	3.90 load bolt only
YG GMHO40-411	4.10 load bolt only

Overhaul Kits

Part #	Description
YK GMHO72-A	w/o load bolt, w/o any shims
YK GMHO72-B	w/ load bolt, w/o stock shims
BK GMHO72-A	w/o load bolt w/o any shims
BK GMHO72-B	w/ load bolt w/o stock shims
PK GMHO72-A	w/o load bolt, w/o any shims
PK GMHO72-B	w/ load bolt, w/o any shims



Toyota Differential

IMPORT T 7.5" Differential 1979 Toyota 1/2 Ton 2WD Rear 1986 Toyota 1/2 Ton 4WD IFS 1995 & Up Tacoma & T100 IFS

Ring Gear Diameter	7.5"
Ring Gear Bolts	(10) 11mm x 1.0 RH
Cover Bolts	None / Dropout
Carrier Breaks	None
Yoke/Pinion Spline Count	27

Ring & Pinion Gear Sets

Standard Rotation

Part #	Ratio
YG T7.5-411	4.10
YG T7.5-456	4.56
YG T7.5-488	4.88
YG T7.5-529	5.29
YG T7.5-571	5.71

Reverse Rotation

Part #	Ratio
YG T7.5R-456R	4.56
YG T7.5R-488R	4.88
YG T7.5R-529R	4.29


Overhaul Kits

Part #	Description
YK T7.5-4CYL	Complete master overhaul bearing & seal kit 1.781" carrier bearing ID
YK T7.5-V6	Complete master overhaul bearing & seal kit 1.967" carrier bearing ID
BK T7.5-4CYL	Bearing & seal kit 1.781" carrier bearing ID
BK T7.5-V6	Bearing & seal kit 1.967" carrier bearing ID
PK T7.5-4CYL	Pinion bearing & seal kit 1.781" carrier bearing ID
PK T7.5-V6	Pinion bearing & seal kit 1.967" carrier bearing ID
MK T7.5-4CYL	Minimum kit 1.781" carrier bearing ID
MK T7.5-V6	Minimum kit 1.967" carrier bearing ID

Yokes

Part #	Description
YY T35050	IFS pinion yoke

IMPORT T 8.0" Toyota Differential 1979 - 1995 Rear 1979 - 1985 4WD Front 1985 - 1995 2WD Turbo Rear



Ring Gear Diameter	8.0"
Ring Gear Bolts	(10) 11mm x 1.0 RH
Cover Bolts	None / Dropout
Carrier Breaks	None
Yoke/Pinion Spline Count	1.378" / 27

Ring & Pinion Gear Sets

Part #	Ratio
YG T8-390	3.90
YG T8-411	4.11
YG T8-438	4.38
YG T8-456	4.56
YG T8-488	4.88
YG T8-529	5.29
YG T8-571	5.71

Overhaul Kits

Part #	Description
YK T8-A	'85 & down, complete master overhaul bearing & seal kit or 1 1/2" pinion head
YK T8-B	'86 & up, complete master overhaul bearing & seal kit or 1 5/8" pinion head
BK T8-A	'85 & down, bearing & seal kit or 1 1/2" pinion head
BK T8-B	'86 & up, bearing & seal kit or 1 5/8" pinion head
PK T8-A	'85 & down, pinion bearing & seal kit or 1 1/2" pinion head
PK T8-B	'86 & up, pinion bearing & seal kit or 1 5/8" pinion head
MK T8-A	'85 & down, minimum kit or 1 1/2" pinion head
MK T8-B	'86 & up, minimum kit or 1 5/8" pinion head

Internal Kits

Part #	Description
YPKT8-S-30	Standard spider gear kit

Yokes

Part #	Description
YY T26011	'82 & down, small hole flange, fine spline
YY T35021	'82 & down, coarse 10 spline flange small hole
YY T35040	'83 & up, large hole flange, fine spline

Toyota Differential



IMPORT TOYOTA V6 Differential 1987 – 1995 Toyota Hilux 2WD & 4WD Pickup w/ V6 engine 1977 – 1995 1/2 Ton 2WD Hilux Pickup

Ring Gear Diameter	8.125"
Ring Gear Bolts	(10) 11mm x 1.0 RH
Cover Bolts	None / Dropout
Carrier Breaks	None
Yoke/Pinion Spline Count	1.378" / 27

Ring & Pinion Gear Sets

Part #	Ratio
YG TV6-3.90	3.90
YG TV6-4.10	4.10
YG TV6-4.38	4.38
YG TV6-4.56	4.56
YG TV6-4.88	4.88
YG TV6-5.29	5.29

Note: T8 ring & pinion gears will fit V6 housing by using TV6 pinion bearing & extra shims.

Overhaul Kits

Part #	Description
YK TV6	Complete master overhaul bearing & seal kit
BK TV6	Bearing & seal kit
PK TV6	Pinion bearing & seal kit
MK TV6	Minimum kit

Yokes

Part #	Description
YY T35040	Pinion flange

IMPORT TLC Differential 1969 – 2002 Toyota Land Cruiser Rear 1969 – 1990 Toyota Land Cruiser Front, Straight Axle, Standard Rotation 1991 – 1997 Toyota Land Cruiser Front, Reverse Rotation Straight Axle

Ring Gear Diameter	9.5"
Ring Gear Bolts	(12)
Cover Bolts	10
Carrier Breaks	None
Yoke/Pinion Spline Count	27 / 10

Ring & Pinion Gear Sets

Standard Rotation

Part #	Ratio
YG TLC-370	3.70
YG TLC-411	4.11
YG TLC-456	4.56
YG TLC-488	4.88
YG TLC-529	5.29

Reverse

Part #	Ratio
YG TLCF-456R	4.56
YG TLCF-488R	4.88
YG TLCF-529R	5.29

IMPORT TLC Differential 1969 – 2002 Toyota Land Cruiser Rear 1969 – 1990 Toyota Land Cruiser Front, Straight Axle, Standard Rotation 1991 – 1997 Toyota Land Cruiser Front, Reverse Rotation Straight Axle (cont.)

Overhaul Kits

Part #	Description
YK TLC-REV	Landcruiser, '88-'97, front reverse rotation
YK TLC-B	Landcruiser, '91 & up, front reverse rotation
YK TLC-A	Landcruiser, '90 & down, front reverse rotation
BK TLC-REV	Landcruiser, '88-'97, front reverse rotation
BK TLC-B	Landcruiser, '91 & up, front reverse rotation
BK TLC	Bearing & seal kit
PK TLC-REV	Landcruiser, '88-'97, front reverse rotation
PK TLC-REV	Landcruiser, '88-'97, front reverse rotation
PK TLC-B	Landcruiser, '91 & up, front reverse rotation
PK TLC-A	Landcruiser, '90 & down, front reverse rotation
MK TLC-RGBOLT	Bolt & nut type bolt kit
MK TLC-REV	Landcruiser, '88-'97, front reverse rotation
MK TLC-B	Landcruiser, '91 & up, front reverse rotation
MK TLC-A	Landcruiser, '90 & down, front reverse rotation

Internal Kits

Part #	Description
YPKTLC-S-30	Standard spider gear kit



Suzuki Differential

IMPORT T SUZUKI SAMURAI Differential

Ring Gear Diameter	6 7/8
Ring Gear Bolts	10
Cover Bolts	None
Carrier Breaks	None
Yoke/Pinion Spline Count	26

Ring & Pinion Gear Sets

Part #	Ratio
YG SUZSAM-457	4.57
YG SUZSAM-538	5.38

Overhaul Kits

Part #	Description
YK ISAM	Complete master overhaul bearing & seal kit
BK ISAM	Bearing & seal kit
PK ISAM	Pinion bearing & seal kit
MK ISAM	Minimum kit

Yokes

Part #	Description
YY S27110-83001	Samurai pinion flange

IMPORT: Isuzu, Mazda & Nissan Differential Kits

Overhaul Kits

Part #	Description
YK IMAZDA-A	'72-'93 Mazda B2000 & B2200 trucks
YK IMAZDA-B	'87-'95 Mazda B2600 truck & MVP
YK ITROOPER	Complete master overhaul bearing & seal kit
BK IMAZDA-A	'72-'93 Mazda B2000 & B2200 trucks
BK IMAZDA-B	'87-'95 Mazda B2600 truck & MVP
BK ITROOPER	Complete master overhaul bearing & seal kit
PK IMAZDA-A	'72-'93 Mazda B2000 & B2200 trucks
PK IMAZDA-B	'87-'95 Mazda B2600 truck & MVP
PK ITROOPER	Complete master overhaul bearing & seal kit
MK IMAZDA-A	'72-'93 Mazda B2000 & B2200 trucks
MK IMAZDA-B	'87-'95 Mazda B2600 truck & MVP
MK ITROOPER	Complete master overhaul bearing & seal kit

Kit Contents

Yukon Gear Master Overhaul Kit (YK)

The Yukon Gear Master Overhaul Kit comes with every part you'll need for successful differential replacement. This kit includes:

- Pinion and Carrier Bearings
- Pinion Seal
- Crush Sleeve or Preload Shims
- Pinion Depth Shims
- Carrier Shims (varies by application)
- Gear Marking Compound
- Loctite®
- Pinion Nut (varies by application)
- Gasket or Silicone
- Ring Gear Bolts (for applications excepting Chrysler and GM 14T)
- 19-page Instruction Manual

Inner Parts Kit (YPK)

Yukon Inner Parts Kit provides the proper parts for replacing the inner-workings of your carrier case. This kit comes equipped with:

- Side Gears
- Pinion Gears
- Cross Pins
- Thrust Washer
- Cross Pin Bolt (varies by application)

Pinion Kit (PK)

Our Pinion Kit comes fully stocked for a complete pinion install. This kit supplies you with:

- Pinion Bearings
- Pinion Nut (varies by application)
- Pinion Seal
- Pinion Depth Shims or Complete Shim Kit (varies by application)
- Crush or Preload Shims
- Gear Marking Compound
- 19-page Instruction Manual

Bearing Kit (BK)

The Bearing Kit will help you meet all your bearing replacement needs. This kit includes:

- Pinion Bearings
- Carrier Bearings
- Crush Sleeve
- Pinion Seal

Minimum Installation Kit (MK)

Our Minimum Install Kit covers your basic installation requirements. With this kit you can expect:

- Pinion Seal
- Crush Sleeve
- Complete Shim Kit
- Marking Compound
- Pinion Nut, O-ring, Baffles, Slinger (varies by application)
- 19-page Instruction Manual

Shim Kit (SK)

Yukon Shim Kit is exactly what its name describes: nothing but shims. This kit offers:

- Pinion Depth Shims
- Carrier Shims
- Preload Shims (if applicable)

Axle Kit (AK)

The Axle Kit is perfect for upgrading. This kit comes with:

- Axle Bearing (OEM quality)
- Axle Seal



YUKON AXLE & QUALITY COMPONENTS

DISTRIBUTED BY

636 West Diversey Parkway #180 • Chicago, IL, 60614-1511

©2003 Yukon Gear & Axle